

Application for Use of the CryoElectron Microscopy Facility

Please PRINT all information

User Name: _____

Position Title: _____ Index Number: _____

Department: _____ Tel: _____

E-Mail: _____

Description of Sample _____

Primary Investigator's Name: _____

Primary Investigator's E-Mail: _____

Fees and Regulations

1. Fees:
 - FEI Tecnai Sphera - \$64.80 per hour, one hour minimum
 - FEI Tecnai Polara - \$148.80 per hour, one hour minimum
 - A maximum of twelve hours will be charged for each 24 hour period.
 - Staff Assistance - \$144.00 per hour, one hour minimum
 - Training costs will include the hourly charges of the instrument plus the charge for staff assistance.
2. Charges will commence at the time reserved on the Scheduler. The starting time and ending times cannot be changed after the session starts. The ending time of a session can possibly be changed by contacting the Facility Manager.
3. Training for the Sphera generally lasts approximately 12 hours depending on the ability of the student. The length of the training period is designed so that the student can develop a moderate level of expertise, independently run the instruments, and handle them without causing any costly damage. It is required that all training be given by the Facility Manager.
4. The Facility Manager determines if the student has the necessary skills to use the instruments without supervision or to operate them during non-peak hours.
5. All publications using facility resources will contain the following acknowledgment. *"We acknowledge the use of the UCSD Cryo-Electron Microscopy Facility which is supported by NIH grants to Dr. Timothy S. Baker and a gift from the Agouron Institute to UCSD."*
6. All publications using facility resources will be reported to James Bouwer.

I agree to the above conditions and to pay the fees generated by my laboratory employee.

Signature of Primary Investigator

Date

CryoElectron Microscopy Facility, Department of Chemistry/Biochemistry,
Dr. James C. Bouwer, jbouwer@ucsd.edu, 858-822-6718. Mailcode: 0378